

iCHROMA II - CONTROLS

SR. NO.	CONTROLS	PARAMETERS	FORMAT	NO. OF CONTROLS	OPEN VIAL STABILITY
1	Cardiac Control	TnI	Lyophilized	2	1 day at 2-8°C 7 days at -20 to -80°C
		CK-MB			
		Myoglobin			
		NT-proBNP			
2	D-Dimer Control	D-Dimer	Lyophilized	2	1 day at 2-8°C 14 days at -20 to -80°C
3	Tumor Marker Control	PSA	Lyophilized	2	1 day at 2-8°C 7 days at -20 to -80°C
		AFP			7 days at 2-8°C 14 days at -20 to -80°C
		CEA			1 day at 2-8°C
4	FOB Control	iFOB	Liquid	2	30 days at 2-8°C
5	HbA1c Control	HbA1c	Lyophilized	2	7 days at 2-8°C 20 days at -20 to -80°C
6	Microalbumin Control	Microalbumin	Liquid	1	30 days at 2-8°C
7	Hormone Control	TSH	Lyophilized	2	7 days at 2-8°C 21 days at -20 to -80°C
		T4			7 days at 2-8°C 21 days at -20 to -80°C
		T3			7 days at 2-8°C 14 days at -20 to -80°C
		hCG			7 days at 2-8°C 21 days at -20 to -80°C
		LH			7 days at 2-8°C 21 days at -20 to -80°C
		FSH			7 days at 2-8°C 21 days at -20 to -80°C
		PRL			7 days at 2-8°C 21 days at -20 to -80°C
		Cortisol			7 days at 2-8°C 21 days at -20 to -80°C
		Progesterone			1 day at 2-8°C 21 days at -20 to -80°C
		Testosterone			7 days at 2-8°C 14 days at -20 to -80°C
8	PCT Control	PCT	Lyophilized	2	1 day at 2-8°C
9	CRP Control	CRP	Liquid	2	28 days at 2-8°C
10	hsCRP Control	hsCRP	Liquid	1	30 days at 2-8°C
11	RF IgM Control	RF IgM	Liquid	2	7 days at 2-8°C
12	Vitamin D Control	Vitamin D	Liquid	1	7 days at 2-8°C
13	Anti-HCV Control	Anti-HCV	Lyophilized	2	14 days at 2-8°C
14	HBsAg Control	HBsAg	Lyophilized	2	7 days at 2-8°C
15	Anti-HBS Control	Anti-HBS	Lyophilized	2	7 days at 2-8°C
16	Anti-CCP Control	Anti-CCP	Lyophilized	2	7 days at 2-8°C
17	ROTA Control	ROTA	Lyophilized	2	14 days at 2-8°C
18	ROTA/Adeno Control	ROTA/Adeno	Lyophilized	2	14 days at 2-8°C
19	NORO Control	NORO	Lyophilized	2	14 days at 2-8°C
20	Ferritin Control	Ferritin	Lyophilized	2	1 day at 2-8°C 7 days at -20 to -80°C